Home > Equipment > Forklifts & Lift Trucks > Internal Combustion Pneumatic Tire Forklifts > Medium-Capacity Diesel Pneumatic Tire Forklifts

D20S-9 | D25S-9 | D30S-9 | D33S-9 | D35C-9

Medium-Capacity Diesel Pneumatic Tire Forklifts











- Medium capacity 4,000-7,000 lb. range
- Powerful 2.4 L D24 diesel engines
- Three performance modes
- Guardian Stability System (GSS)
- Operator Sensing System (OSS)
- Shift ProTek hot-shift transmission protection

Contact Dealer for Pricing

Find a Dealer

View Current Offers

Request a Demo

Overview

The most popular diesel forklifts include technology, superior components and extended planned maintenance intervals, keeping operational expenses low.

- Quiet Tier 4 diesel engine
- Three performance modes (ECO/STD/HIGH)
- Optimized scheduled maintenance intervals
- o Transmission oil: 2,000 hours
- o Drive axle oil: 2,000 hours
- o Engine oil: 1,000 hours
- Industry-specific application packages
- Anti-dust package
- Anti-corrosion package
- Foundry package

Specs & Compare

Show more

Features & Benefits

Collapse All -

- Operational Enhancements 13

▲ Operator Sensing System (OSS)

Should the operator leave the seat, the OSS automatically initiates these functions:

- · Quickly stops all truck movement
- · Locks the lift, lower and tilt functions of mast and hydraulic assemblies
- A seatbelt warning light will alert the operator to re-fasten the seat belt
- The shift selector must be in the neutral position in order to re-start the truck

Guardian Stability System (GSS)

- Decreases Travel Speed by 50% when traveling with mast raised beyond Primary stage
- . Forward Tilt Reduced to 2° when traveling with mast raised beyond Primary stage
- Alarm Sounds when traveling with mast raised beyond Primary stage and Tilt > 2°
- · Auto Speed Control Sensors Indicate Sharp Turn and reduces travel speed proportionately

Bar Type Overhead Guard

The precisely designed Overhead Guard (OHG) profile has an optimized bar thickness and arrangement, providing strength and a clear view.

High Visibility Mast

The forklift has hydraulic hoses and mast chains which are strategically placed to enhance forward visibility.

Low Profile Dash

Greatly enhances forward view of load or while travelling.

▲ Electronic Parking Brake

Automatically applies brakes should operator leave the seat. The release is conveniently located next to the hydraulic control levers. The actual braking mechanism is mounted inside the transmission.

Strobe, Alarm, Mirrors

A strobe, backup alarm, and side mirrors come standard on all models.

▲ Rear Grab Bar w/ Horn Button

Allows operator to sound the horn while holding onto the rear grab bar handle and travelling in reverse. Standard on these models.

Automatic Deceleration

When the operator removes foot from the accelerator pedal, automatic deceleration slows the truck in a controlled manner.

Orange Seat Belt

Orange seatbelt has a sensor to remind the operator to remain belted at any time the truck is in operation.

Programmable Speed Limit

Easily programmable to match travel speeds (forward and/or reverse) to a particular application or setting.

▲ Load-Sensing Hydraulic System

Provides better overall performance by increasing power while truck is under load.

▲ 3-Point Entry/Exit System

A hand rail along mast, the seat armrest, and large anti-slip step plate enhance entry and exit.

- Advanced Ergonomics 10

▲ Low Effort Foot Pedal

Reduces operator effort by as much as 70% when depressing the pedal. $\label{eq:control}$

▲ Smaller Steering Wheel w/ Turning Knob

Features a smaller steering wheel which means less steer fatigue.

▲ Telescopic and Tilting Steering Column

The steering column is adjustable to meet varying operator sizes.

Spacious Head and Legroom

Enhanced comfort for operators of different sizes.

Operator legroom is increased by over 30% compared to previous series

Recessed Tilt Cylinders

The tilt cylinders are completely recessed under the floorplate for increased floorspace and easier entry $\&\,$ exit.

High Comfort Seat

The seat is wide and comfortable. It is fully adjustable to fit a variety of sizes.

▲ Full-Color LCD Display

 $The 5 in. \ or \ 7 in. \ LCD \ monitor \ is \ bright \ and \ clear, \ providing \ good \ visibility \ outdoors \ to \ quickly \ and \ easily \ check \ truck \ conditions.$

Operator Convenience Package

Provides excellent storage for paperwork, refreshments, small tools, etc.

▲ Thick Rubber Floor Mat

Thick, fitted rubber floor mat reduces heat & noise.

▲ Easy Entry & Exit

3-Point entry and exit features make getting onto or off of the vehicle much less strenuous.

- Simplified Serviceability 11

▲ Fewer Scheduled Service Intervals

Fewer scheduled maintenances save you time and money.

- Engine oil change interval is every 1,000 hours, (was 500 hrs.)
- Transmission oil change interval is once every 2,000 hrs. (was 1,000 hrs.)
- . Drive axle oil change interval is now every 1,000 hrs. (was 500 hrs.)

Well-Positioned Maintenance Components

- . The air filter service alert displays on the dashboard
- · All fuse & relay access is centralized and easy to access

Quick Access to Key Elements

- Battery
- Air filter
- Oil filter
- Dipstick and fluid level indicators

Bright & Informative LED Display

Large, bright, and intuitive display provides truck health status quickly and easily.

▲ Tool-Free Access Panels

The floor plate and side panels are easily detached without tools, making inspections much faster.

Auto-Maintenance Notifications

Important maintenance details such as truck service codes and consumable replacement cycles are communicated via the display.

▲ Easy-to-Read Diagnostics

The technician can easily diagnose truck conditions using only a cable and laptop.

Wide Opening Engine Cover

Improves access to engine and maintenance components for Inspection or maintenance.

▲ Easy Access to Maintenance Points

Makes maintenance and inspections quick and simple, so you can get back to doing more.

▲ Dual Element Air Cleaner

This feature offers added protection to the engine's air intake, which extends engine life and reduces maintenance costs.

Onboard Diagnostics

OBD allows you to diagnose the vehicle as well as to set its performance parameters via a laptop (no special tools required).

- Enhanced Productivity 13

Doosan Diesel Engines

Doosan diesel engines are cutting-edge. Loaded with the latest technology, these engines are powerful, clean and quiet-running, making them some of the best diesel engines available anywhere.

▲ Well-Situated Hydraulic Levers

No need to reach or hold the arm in an unnatural position, reduces operator fatigue.

▲ 3 Selectable Performance Modes

This engine comes with three selectable performance modes: (ECO/STD/HIGH)

- · In ECO mode the truck is set for optimal fuel economy
- In standard mode, the truck is set for normal output
- High-performance mode increases the power output of the truck for tough working applications or carrying heavier loads

Optimized Cooling Capacity

The integrated super duty cooling system offers the outstanding heat reduction of heavy-duty radiators without the added costs.

- Dual-module radiator allows truck to run much cooler
- Transmission oil flow increased by 60%
- A newly designed heavy-duty fan increases airflow
- Counterweight design increases airflow efficiency
- Steel, lumber, stone, tile, or recycling: even the most grueling applications are covered by the advanced cooling system

Industry-Specific Application Packages

Large-capacity diesel pneumatic tire forklifts offer you specialized packages for those extreme applications. Customize your truck to fit the job and improve efficiency.

- The anti-dust package minimizes particulate buildup on the forklift. This is the preferred option for tough applications such as lumber and stone, steel, ceramic tiles, solid fertilizers, cotton, and recycling.
- Our foundry package is recommended for customers who mainly operate trucks in hightemperature environments such as foundry (iron, aluminum, or nonferrous metals), casting, forging, and rolling.
- The anti-corrosion package is recommended for high-temperature and high-humidity environments. Package minimizes damage to the forklift from being corroded by acid,

moisture, or sait environments found in applications such as fisheries, ports, chemical processing and storage, sugar, and beverage.

▲ IP Rated Water-Resistant Electrical Connectors

The use of IP-rated connectors protects the electrical components from ingress of moisture and debris, assuring you that your truck will be ready to work in various climates and weather conditions.

Electronic Inching Pedal System Design

Our newly designed electronic inching pedal offers the operator these features:

- · Less pedal effort is required to depress the pedal
- The electronic system means that there is no inching cable or associated costs for maintenance or replacement
- This system is much more responsive than traditional cable inching
- Allows for much less operator fatigue

▲ LED Combination Lamps

These are much brighter and longer lasting than traditional bulbs, providing a better view in low light applications.

Transmission Control Unit (TCU)

The TCU monitors and optimizes braking assuring you a more productive vehicle.

▲ Vehicle Control Unit (VCU)

The VCU monitors all aspects of the truck and makes adjustments based on operator input and operating conditions.

- Engine and transmission functions
- · Guardian stability system
- · Alarms and warnings
- Vehicle displays and service conditions
- Braking

▲ Shift ProTek Hot Shift Protection

Shift ProTek limits directional changes to under 5 mph, allowing for shifton-the-fly and making quick shuttle applications a breeze. The marketproven Shift ProTek transmission precisely modulates clutch oil pressure for smooth forward and reverse directional changes. Shift on the go without damage to the transmission.

Mast Tilt Indicator

This option displays the tilt angle of the mast for easier reference when entering or placing a load.

Modular or Full Cabin

Introducing a new level of cabin comfort, these standard or optional cabins feature:

- Full floating for less vibration and improved comfort
- · Cushioned for quiet comfort
- LED combination lamps for additional illumination in low light
- conditions
- Tilting roof & sun visor
- · Curved, one-piece front glass
- High-performance double wiper armAir conditioner and heater (optional)
- Internal/external air circulation control
- Cabin air filter to help reduce dust inflow
- Expanded glass panel for improved visibility

- Durable Reliability 9

▲ Doosan Diesel Engines

Featuring the latest in advanced technology, these diesel engines set the pace! Power when you need it, clean burning, and reliable, these engines are among the best in the material handling world.

Oil Cooled Disc Brakes (OCDB)

This best-in-class brake system comes with a 5-Year or 10,000 working hour warranty.

- Discs are submerged in oil, keeping them cool and limiting wear
- 100% of friction material is used for superior stopping power
- OCDB are more easily serviced in the field than traditional brakes
- System is sealed for maximum protection against contamination

Super Duty Cooling System

The integrated super duty cooling system offers the outstanding heat reduction of heavy-duty radiators without the added costs.

- Dual-module radiator allows truck to run much cooler
- Transmission oil flow increased by 60%
- A newly designed heavy-duty fan increases airflow
- Counterweight design increases airflow efficiency
- Steel, lumber, stone, tile, or recycling: even the most grueling applications are covered by the advanced cooling system

Robust Hydrostatic Steer Axle

- No mechanical connections between the steering wheel & steer axle
- · Fewer moving parts mean fewer things that could fail, assuring maximum run-time.
- Low-effort steering for operator comfort and reduced fatique
- Quick steering response for increased maneuverability
- Grease fittings on kingpin and steer linkage for easy maintenance
- Shock-absorbing steer axle bushings extend the service life of the unit

▲ Superior Components vs. Competitive Models

The steer axle assembly is built with durable components which enhance product life and reduce maintenance costs.

• Larger diameter kingpins and tapered roller bearings for a stronger axle

- · Tapered rollers are stronger against side impact forces
- · Tapered roller bearings have an inner race to eliminate wear on the kingpin

■ Water Resistant Electrical Connectors

The use of IP (Ingress Protection) rated connectors protects the electrical components from ingress of moisture and debris, assuring you that your truck will be ready to work in various climates and weather conditions.

Heavy Duty U-Joint Connection

The U-joint helps reduce shock and vibration to the engine resulting in fewer engine problems. This configuration also improves serviceability, further lowering maintenance costs.

High-Capacity Air Cleaner

Additional capacity of air cleaner extends engine life and reduces maintenance costs.

Transmission Embedded Parking Brake

- Built-in parking brake assembly is in the transmission for added durability
- Parking brake is released automatically when the operator starts the truck
- Parking brake is automatically applied when the operator leaves the seat
- Parking brake automatically engages when the ignition is switched off

- Lower Cost of Ownership 2

▲ Fewer Scheduled Service Intervals

Fewer scheduled maintenances save you time and money.

- Engine oil change interval is every 1,000 hours. (was 500 hrs.)
- Transmission oil change interval is once every 2,000 hrs. (was 1,000 hrs.)
- Drive axle oil change interval is now every 1,000 hrs. (was 500 hrs.)

▲ Eco Mod

These fuel-efficient engines allow the user to choose from either Standard Mode or Eco Mode. Eco Mode saves on fuel costs.

Related Models







View Model >

 DV250S-7
 DV180S-7
 D160S-7

 Max Load Capacity
 55000 Ib
 Max Load Capacity
 40000 Ib
 Max Load Capacity

View Model >

View All Internal Combustion Pneumatic Tire Forklifts >



View Model >

WARNING. This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

REGION SELECTOR	
→ NORTH AMERICA (EN)	EMAIL SIGN-UP
BUYING TOOLS	COMPANY
BUILD & QUOTE	ABOUT US
SEARCH INVENTORY	INNOVATION
FIND A DEALER	COMMUNITY
SPECIAL OFFERS	PEOPLE
REQUEST A DEMO	BOBCAT STORIES
CONTACT A DEALER	AMBASSADORS
BUYING RESOURCES	

CONTACT US

CUSTOMER SERVICE

WEBSITE FEEDBACK

DEALER OPPORTUNITIES

GOVERNMENT SALES

FREQUENTLY ASKED QUESTIONS

TO CONTACT US

One Tough Animal

DOOSAN

Bobcat Company is a member of the Doosan Group. Doosan is a global leader in construction, grounds maintenance and material handling equipment, power and water solutions, and engineering that has proudly served customers and communities for more than a century.

Bobcat®, the Bobcat logo, the colors of the Bobcat machine and various other product names referenced on this website are trademarks of Bobcat Company in the United States and various other countries. ©2024 Bobcat Company. All rights reserved.