



EQUIPMENT RENTALS MADE EASY

Your Equipment Partner Since 1960

At ASCO Equipment, we take pride in being a family-owned and operated company committed to delivering reliable, high-quality equipment. Our modern rental fleet is carefully maintained to ensure maximum uptime and performance when you need it most.

Flexible Rental Terms:

- Daily, weekly, monthly, or long-term
- Rent-to-own options available
- Delivery and on-site support across Texas, Oklahoma, and New Mexico

TEXAS

- Abilene, TX (325) 698-2726
- Amarillo, TX (806) 372-8386
- Austin, TX (512) 272-8922
- Beaumont, TX (409) 212-8100
- Belton, TX (254) 613-1500
- Brenham, TX (979) 836-6641
- Bryan, TX (979) 779-8942
- Eules, TX (817) 283-2844
- Houston, TX – North (281) 987-1990
- Houston, TX – South (713) 649-0940
- Little Elm, TX (972) 441-2726
- Lubbock, TX (806) 745-2000
- Midland, TX (432) 685-9999
- Odessa, TX (432) 337-2823
- Perryton, TX (806) 435-7773
- San Angelo, TX (325) 655-5666
- San Antonio, TX (210) 333-8000
- Sherman, TX (903) 893-7586
- Terrell, TX (972) 563-2171
- Tyler, TX (903) 593-0201
- Wichita Falls, TX (940) 687-2726

OKLAHOMA

- Elk City, OK (580) 323-3422
- Oklahoma City, OK (405) 789-6812
- Tulsa, OK (918) 437-5085

NEW MEXICO

- Clovis, NM (575) 742-2726



**Built by dependability,
driven by excellence.**

Call your local ASCO store
or visit ASCOEQ.com/rentals.

ASCO RENTAL GUIDE



WE'RE ON IT

(800) 687-0008 | ASCOEQ.com



MINI/MIDI EXCAVATORS

Model	Operating Weight (lbs)	Engine Power (hp)	Max Dig Depth
CASE			
CX19	4,145	18.4	8' 2"
CX26	5,850	23.2	7' 11"
CX30	6,336	23.2	8' 2"
CX37	8,300	23.7	10' 3"
CX42	9,590	43.3	10' 1"
CX50	10,912	58.7	10' 11"
CX57	12,270	65.1	12' 6"
CX60	13,162	59.4	13' 5"
CX90	20,305	72	13' 7"
HITACHI			
ZX17U	3,790	14.7	7' 2"
ZX26U	5,560	20.3	8' 6"
ZX30U	7,055	23.7	9' 2"
ZX35U	7,959	23.7	11' 10"
ZX50U	10,847	36.8	11' 7"
ZX60USB	13,382	53.8	12' 4"
ZX75US	17,831	53.7	15' 1"
ZX85USB	18,735	53.7	14' 10"



LARGE EXCAVATORS

Model	Operating Weight (lbs)	Engine Power (hp)	Max Dig Depth
CASE			
CX140	28,900	102	18' 3"
CX145 SR	32,100	102	18' 1"
CX170	38,400	121	19' 11"
CX220	50,000	162	21' 9"
CX245	60,400	160	21' 10"
CX300	67,000	259	23' 4"
CX380	83,114	268	24' 2"
HITACHI			
ZX130	30,865	100.4	19' 9"
ZX135US	31,967	100.4	19' 7"
ZX160	39,683	132	21' 4"
ZX210	50,265	164	21' 11"
ZX245US	58,202	164	21' 8"
ZX250	60,407	177	25'
ZX300	69,005	249.4	25' 10"
ZX345US	79,366	249.4	24' 10"
ZX350	80,028	271	26' 10"
ZX490	109,790	362.1	27' 2"
ZX690	152,780	465	30' 1"
ZX890	189,157	510	31' 5"

Long reach excavator models available.

TELESCOPIC EXCAVATORS



Model	Operating Weight (lbs)	Engine Power (hp)	Max Dig Depth
GRADALL			
XL 3100	40,930	235	18' 4"
XL 3300	39,295	172	18' 5"
XL 4300	43,580	173	21' 3"
XL 4200	46,862	173	22'
XL 4100	49,684	335	20' 3"
XL 5200	54,452	173	25' 4"



ARTICULATED DUMP TRUCKS

Model	Operating Weight (lbs)	Engine Power (hp)	Rated Payload (lbs)
BELL TRUCKS			
B30	106,130	316	61,729
B45	157,042	359	85,980

WHEEL LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Bucket Capacity (yd ³)
CASE			
521	24,203	142	2.10
621	28,254	172	3.00
651	30,993	172	2.75
721	36,011	195	3.50
821	42,714	230	4.25
921	45,070	255	4.75
HITACHI			
ZW50	8,810	44	0.8
ZW100	16,140	101	1.7
ZW140	25,661	145	2.8
ZW150	27,029	145	3.1
ZW160	28,660	165	3.1
ZW180	33,245	173	3.7
ZW220	40,013	200	4.2
ZW250	46,620	253	4.8
ZW310	54,190	286	5.5
ZW330	58,158	311	6.3
ZW370	79,210	389	8.1

Listed sizes are manufacturer's standards and may vary depending on material weight. Other bucket options are available.

SKID STEER LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	ROC (lbs)
CASE			
SR160	5,645	60	1,600
SR175	6,270	67	1,750
SV185	6,570	60	1,850
SR210	6,970	74	2,100
SR240	7,400	74	2,400
SR270	8,117	90	2,700
SV280	8,000	74	2,800
SV340	9,100	90	3,400

BACKHOE LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Max Dig Depth
CASE			
575N EP	18,298	74	14' 5"
580SV	18,717	97	14' 5"
580SN	17,810	97	17' 11"

COMPACT TRACK LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	ROC (lbs)
CASE			
TR270	8,270	74	2,700
TR310	8,880	74	3,100
TR340	10,000	90	3,400
TV370	9,945	74	3,700
TV450	10,610	90	4,500
TV620	16,300	114	6,200

TRACTOR LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Lift Capacity (lbs)
CASE			
570N EP	11,134	74	6,503



SMALL ARTICULATED LOADERS

Model	Operating Weight (lbs)	Engine Power (hp)	Max Tip Load (lbs)
AVANT			
528	2,756	26	2,094
755	4,420	57	3,810
860	5,600	57	4,189



COMPACTION EQUIPMENT

Smooth or Padfoot Drum

Model	Operating Weight (lbs)	Engine Power (hp)	Drum Width
CASE			
DV23	4,600	33.5	39"
DV45	9,535	43.9	51.2"
DV209	20,750	100	66"
DV210	22,440	100	66"
SV207	15,400	75	66"
SV211	25,630	134	84"
SV213	27,730	134	66"
AMMANN			
ART240	22,267	100	78.2"

Double drum models available.

TRACTORS



Model	Operating Weight (lbs)	Engine Power (hp)
CASE IH		
FARMALL 100A	11,000	100
STEIGER 595	67,000	595

DOZERS



Model	Operating Weight (lbs)	Engine Power (hp)	Blade Capacity (yd ³)
CASE			
650	15,803	74	1.69
750	20,168	96	1.69
850	22,319	120	2.16
1150	31,592	138	3.77
1650	38,243	164	4.28
2050	45,642	232	6.32



SCRAPERS

Model	Heaped Capacity (yd ³)	Max Load Rating (lbs)
K-TEC		
1230	30	72,000
1233	33	80,000

MOTOR GRADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Blade Width
LEEBOY			
695	16,000	130	11'
CASE			
836	26,495	137	11'
856	33,995	173	12'

SWEEPERS



Model	Operating Weight (lbs)	Engine Power (hp)	Sweeping Width
-------	------------------------	-------------------	----------------

LAYMOR

SM300	3,100	24.8	8'
SM450	5,600	74	8'

LEEBOY

NB15	3,205	25	8'
RB50	6,710	74	8'

ROUGH TERRAIN FORKLIFTS



Model	Lift Capacity (lbs)	Engine Power (hp)	Max Lift Height
-------	---------------------	-------------------	-----------------

CASE

586	6,000	74	22'
588	8,000	74	22'

JCB

930	6,000	74	22'
940	8,000	74	22'
950	10,000	74	22'

15' models available.

PAVERS



Model	Operating Weight (lbs)	Engine Power (hp)	Paving Width
-------	------------------------	-------------------	--------------

LEEBOY

1000	11,000	49	13'
7000	13,000	64	13'
8515	18,460	74	15'

FORKLIFTS



Model	Lift Capacity (lbs)	Power Type	Tire Type
-------	---------------------	------------	-----------

BOBCAT

GC15S	3,000	LPG	Cushion
GC25S	5,000	LPG	Cushion
GC30S	6,000	LPG	Cushion
D/G25E	5,000	DSL/LPG	Pneumatic
D/G30E	6,000	DSL/LPG	Pneumatic
D/G35S	8,000	DSL/LPG	Pneumatic
D/G45S	10,000	DSL/LPG	Pneumatic
D/G55S	12,000	DSL/LPG	Pneumatic
D/G70S	15,000	DSL/LPG	Pneumatic
D90S	20,000	DSL	Pneumatic
D120S	26,000	DSL	Pneumatic
D140S	31,000	DSL	Pneumatic
D160S	36,000	DSL	Pneumatic

ATTACHMENTS AVAILABLE

We offer a wide variety of equipment attachments available for rent to help you tackle any job with the right tools.

**Inventory is subject to change. Additional attachments may be available beyond those shown. Contact your nearest branch for the latest availability.*



VERTICAL MAST LIFTS



Model	Working Height	Platform Capacity (lbs)	Machine Width
GENIE			
RUNABOUT GR-15	20' 8"	500	2' 5.5"
RUNABOUT GR-20	25' 9"	350	2' 7.5"

MATERIAL LIFTS



Model	Max Lift Height	Max Load Capacity (lbs)	Stowed Height
GENIE			
GL-4	5' 11"	500	5' 7.5"
GL-8	10"	400	5' 7.5"
GL-10	11' 8"	350	6' 6.5"
GL-12	13' 9"	350	7' 7"

CRANES



Model	Main Boom	Lift Capacity (lbs)	Max Tip Height
BRODERSON			
IC-80	30'	18,000	46' 8"
IC-200	50'	30,000	73' 10"
RT-300	60'	44,800	80'

ROUGH TERRAIN SCISSOR LIFTS



Model	Working Height	Platform Capacity (lbs)	Machine Width
GENIE			
GS-2669	32' 2"	1,500	5' 9"
GS-3369	38' 8"	1,000	5' 9"
GS-4069	46' 3"	800	5' 9"
GS-4390	49'	1,500	7' 8"
GS-5390	59'	1,500	7' 8"

SLAB SCISSOR LIFTS



Model	Working Height	Platform Capacity (lbs)	Machine Width
CMC			
1530 ED	20.7'	530	2' 6"
GENIE			
GS-1930	25'	500	2' 6"
GS-1930 ED	25'	500	2' 6"
GS-1932m ED	24' 2"	500	2' 8"
GS-1932	25' 3"	500	2' 8"
GS-2632	31' 9"	500	2' 8"
GS-2632 ED	32' 1"	500	2' 8"
GS-3232	37' 6"	500	2' 8"
GS-3232 ED	38' 1"	500	2' 8"
GS-3246	37' 6"	700	3' 10"
GS-3390	39'	2,500	7' 8"
GS-4046 ED	45'	770	3' 10"



ARTICULATED BOOM LIFTS

Model	Working Height	Platform Capacity (lbs)	Horizontal Reach
GENIE			
Z-30/20 N	36'	500	21' 5"
Z-30/20 N RJ	36'	500	20' 6"
Z-34 22 N	40' 6"	500	22' 3"
Z-40/23 N	48' 5"	500	22' 8"
Z-40/23 N RJ	48' 5"	500	22' 8"
Z-45 XC	51' 6"	660	24' 9"
Z-45 HF	51' 6"	600	24' 9"
Z-45 DC	51' 8"	660	22' 9"
Z-45 FE	51' 8"	660	22' 9"
Z-60 DC	65' 7"	500	36' 7"
Z-60 FE	65' 7"	500	36' 7"
Z-62/40	67' 11"	500	40' 9"
Z-80/60	84'	500	60'
JLG			
600AJ	60' 7"	500	39' 9"
800AJ	80'	500	51' 10"



TELESCOPIC BOOM LIFTS

Model	Working Height	Platform Capacity (lbs)	Horizontal Reach
JLG			
660SJ	72' 8"	750	56' 9"
860SJ	92'	750	75'
1200SJP	126' 6"	1,000	75'
1350SJP	141' 6"	1,000	80'
GENIE			
S-45 XC	50' 6"	660	36' 2"
S-65 XC	71'	660	54' 2"
S-85 XC	91'	660	74' 6"
S-125 XC	131'	660	80'

OTHER RENTAL EQUIPMENT

COMPRESSORS

185–375 CFM

AIR TOOLS

- Chipping Hammers
- Rivet Busters
- Pavement Breakers
- Rock Drills
- Floor Tampers

PUMPS

- Submersible
- Trash
- Towable

CONCRETE SAWS

- Walk-Behind Floor
- Soff-Cut
- Hand Held

CONCRETE EQUIPMENT

- Concrete Mixers
- Mortar Mixers
- Concrete Buggies
- Power Trowels

ELECTRIC TOOLS

- Breaker Hammers
- Demolition Hammers
- Electric Post Drivers

WATER WAGONS & TRAILERS

500–550 gal

LIGHT TOWERS

6 kW



TOWABLE BOOM LIFTS

Model	Working Height	Platform Capacity (lbs)	Horizontal Reach
JLG			
T350	34' 6"	500	18' 9"
HAULOTTE			
3632T	43' 6"	500	32'