

ASCO RENTAL GUIDE



WE'RE ON IT[®]

888-528-7966 | ASCOEQ.com



MINI/MIDI EXCAVATORS

Model	Operating Weight (lbs)	Engine Power (hp)	Max Dig Depth
CASE			
CX19	4,145	18.4	8' 2"
CX26	5,850	23.2	7' 11"
CX30	6,336	23.2	8' 2"
CX37	8,300	23.7	10' 3"
CX42	9,590	43.3	10' 1"
CX50	10,912	58.7	10' 11"
CX57	12,270	65.1	12' 6"
CX60	13,162	59.4	13' 5"
CX90	20,305	72	13' 7"
HITACHI			
ZX17U	3,790	14.7	7' 2"
ZX26U	5,560	20.3	8' 6"
ZX30U	7,055	23.7	9' 2"
ZX35U	7,959	23.7	11' 10"
ZX50U	10,847	36.8	11' 7"
ZX60USB	13,382	53.8	12' 4"
ZX75US	17,831	53.7	15' 1"
ZX85USB	18,735	53.7	14' 10"



LARGE EXCAVATORS

Model	Operating Weight (lbs)	Engine Power (hp)	Max Dig Depth
CASE			
CX140	28,900	102	18' 3"
CX145 SR	32,100	102	18' 1"
CX170	38,400	121	19' 11"
CX220	50,000	162	21' 9"
CX245	60,400	160	21' 10"
CX300	67,000	259	23' 4"
CX380	83,114	268	24' 2"
HITACHI			
ZX130	30,865	100.4	19' 9"
ZX135US	31,967	100.4	19' 7"
ZX160	39,683	132	21' 4"
ZX210	50,265	164	21' 11"
ZX245US	58,202	164	21' 8"
ZX250	60,407	177	25'
ZX300	69,005	249.4	25' 10"
ZX345US	79,366	249.4	24' 10"
ZX350	80,028	271	26' 10"
ZX490	109,790	362.1	27' 2"
ZX690	152,780	465	30' 1"
ZX890	189,157	510	31' 5"

Long reach excavator models available.

TELESCOPIC EXCAVATORS



Model	Operating Weight (lbs)	Engine Power (hp)	Max Dig Depth
GRADALL			
XL 3100	40,930	235	18' 4"
XL 3300	39,295	172	18' 5"
XL 4300	43,580	173	21' 3"
XL 4200	46,862	173	22'
XL 4100	49,684	335	20' 3"
XL 5200	54,452	173	25' 4"



ARTICULATED HAUL TRUCKS

Model	Gross Power (hp)	Operating Weight (lbs)	Rated Payload (lbs)
BELL TRUCKS			
B30	348	48,310	61,729
B45	523	73,326	90,390

WHEEL LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Bucket Capacity (yd ³)
CASE			
521	24,203	142	2.10
621	28,254	172	3.00
651	30,993	172	2.75
721	36,011	195	3.50
821	42,714	230	4.25
921	45,070	255	4.75
HITACHI			
ZW50	8,810	44	0.8
ZW100	16,140	101	1.7
ZW140	25,661	145	2.8
ZW150	27,029	145	3.1
ZW160	28,660	165	3.1
ZW180	33,245	173	3.7
ZW220	40,013	200	4.2
ZW250	46,620	253	4.8
ZW310	54,190	286	5.5
ZW330	58,158	311	6.3
ZW370	79,210	389	8.1

Listed sizes are manufacturer's standard and may vary depending on material weight. Other bucket options are available.

SKID STEER LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	ROC (lbs)
CASE			
SR160	5,645	60	1,600
SR175	6,270	67	1,750
SV185	6,570	60	1,850
SR210	6,970	74	2,100
SR240	7,400	74	2,400
SR270	8,117	90	2,700
SV280	8,000	74	2,800
SV340	9,100	90	3,400

BACKHOE LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Max Dig Depth (lbs)
CASE			
575N EP	18,298	74	14' 5"
580SV	18,717	97	14' 5"
580SN	17,810	97	17' 11"

COMPACT TRACK LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Max Tip Load (lbs)
CASE			
TR270	8,270	74	5,400
TR310	8,880	74	6,200
TR340	10,000	90	6,800
TV370	9,945	74	7,400
TV450	10,610	90	9,000
TV620	16,300	114	12,400

TRACTOR LOADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Lift Capacity (lbs)
CASE			
570N EP	11,134	74	6,503



SMALL ARTICULATED LOADERS

Model	Operating Weight (lbs)	Engine Power (hp)	Max Tip Load (lbs)
AVANT			
528	2,756	26	2,094
755	4,420	57	3,810
860	5,600	57	4,189

TRACTORS



Model	Operating Weight (lbs)	Engine Power (hp)
CASE IH		
FARMALL 100A	11,000	110 - 140
STEIGER 595	67,000	595

DOZERS



Model	Operating Weight (lbs)	Engine Power (hp)	Blade Capacity (yd ³)
CASE			
650	15,803	74	1.69
750	20,168	96	1.69
850	22,319	120	2.16
1150	31,592	138	3.77
1650	38,243	164	4.28
2050	45,642	232	6.32



COMPACTION EQUIPMENT

Smooth or Padfoot Drum

Model	Operating Weight (lbs)	Engine Power (hp)	Drum Width
CASE			
DV23	4,600	33.5	39"
DV45	9,535	43.9	51.2"
DV209	20,750	100	66"
DV210	22,440	100	66"
SV207	15,400	75	66"
SV211	25,630	134	84"
SV213	27,730	134	66"
AMMANN			
ART240	22,267	100	78.2"

Double drum models available.



SCRAPERS

Model	Heaped Capacity (yd ³)	Max Load Rating (lbs)
K-TEC		
1230	30	72,000
1233	33	80,000

MOTOR GRADERS



Model	Operating Weight (lbs)	Engine Power (hp)	Blade Width
LEEBOY			
695	16,000	130	11'
CASE			
836	26,495	137	11'
856	33,995	173	12'

SWEEPERS



Model	Operating Weight (lbs)	Engine Power (hp)	Sweeping Width
-------	------------------------	-------------------	----------------

LAYMOR

SM300	3,100	24.8	8'
SM450	5,600	74	8'

LEEBOY

NB15	3,205	25	8'
RB50	6,710	74	8'

ROUGH TERRAIN FORKLIFTS



Model	Engine Power (hp)	Lift Height	Load Capacity (lbs)
-------	-------------------	-------------	---------------------

CASE

586	74	22'	6,000
588	74	22'	8,000

JCB

930	74	22'	6,000
940	74	22'	8,000
950	74	22'	10,000

15' models available.

PAVERS



Model	Operating Weight (lbs)	Engine Power (hp)	Paving Width
-------	------------------------	-------------------	--------------

LEEBOY

1000	11,000	49	13'
7000	13,000	64	13'
8615	18,460	74	15'

FORKLIFTS



Model	Load Capacity (lbs)	Tire Type	Power Type
-------	---------------------	-----------	------------

BOBCAT

GC15S	3,000	Cushion	LPG
GC25S	5,000	Cushion	LPG
GC30S	6,000	Cushion	LPG
D/G25E	5,000	Pneumatic	DSL/LPG
D/G30E	6,000	Pneumatic	DSL/LPG
D/G35S	8,000	Pneumatic	DSL/LPG
D/G45S	10,000	Pneumatic	DSL/LPG
D/G55S	12,000	Pneumatic	DSL/LPG
D/G70S	15,000	Pneumatic	DSL/LPG
D90S	20,000	Pneumatic	DSL
D120S	26,000	Pneumatic	DSL
D140S	31,000	Pneumatic	DSL
D160S	36,000	Pneumatic	DSL

ATTACHMENTS AVAILABLE

We offer a wide variety of equipment attachments available for rent to help you tackle any job with the right tools.

**Inventory is subject to change. Additional attachments may be available beyond those shown. Contact your nearest branch for the latest availability.*



VERTICAL MAST LIFTS



Model	Operating Weight (lbs)	Working Height	Platform Capacity (lbs)
GENIE			
RUNABOUT GR-15	2,178	20' 8"	500
RUNABOUT GR-20	2,513	25' 9"	350

MATERIAL LIFTS



Model	Operating Weight (lbs)	Max Lift Height	Load Capacity (lbs)
GENIE			
GL-4	113	5' 11"	500
GL-8	132	10'	400
GL-10	149	11' 8"	350
GL-12	154	13' 9"	350

CRANES



Model	Operating Weight (lbs)	Main Boom	Max Tip Height
BRODERSON			
IC-80	18,000	30'	46' 8"
IC-200	31,080	50'	73' 10"
RT-300	44,800	70'	73' 8"

ROUGH TERRAIN SCISSOR LIFTS



Model	Operating Weight (lbs)	Working Height	Platform Capacity (lbs)
GENIE			
GS-2669	7,149	32' 2"	1,500
GS-3369	7,599	38' 8"	1,000
GS-4069	10,392	46' 3"	800
GS-4390	12,894	49'	1,500
GS-5390	16,567	59'	1,500

SLAB SCISSOR LIFTS



Model	Working Height	Lift Capacity (lbs)	Platform Occupancy
GMC			
1530 ED	20.7'	530	2/0
GENIE			
GS-1932M ED	24' 2"	500	2/1
GS-1932	25' 3"	500	2/1
GS-1930	25' 3"	500	2/1
GS-1930 ED	25' 3"	500	2/1
GS-2632	32' 1"	500	2/1
GS-2669 RT	32' 2"	1500	4/4
GS-2632 ED	32' 1"	500	2/1
GS-3232	38' 1"	500	2/1
GS-3246	38' 1"	700	2/1
GS-3232 ED	38' 1"	500	2/2
GS-3369 RT	38' 8"	1000	4/2
GS-3390	39'	2,500	7/7
GS-4046 ED	45' 2"	770	3/1
GS-4069 RT	46' 3"	800	3/2
GS-4390	49'	1,500	6/6
GS-5390	59'	1,500	6/6



ARTICULATED BOOM LIFTS

Model	Working Height	Horizontal Reach	Power Type
GENIE			
Z-30/20 N	36'	21' 5"	ELEC
Z-30/20 N RJ	35' 2"	20' 6"	ELEC
Z-34 22 N	40' 6"	22' 3"	ELEC
Z-40/23 N	48' 5"	22' 8"	ELEC
Z-40/23 N RJ	46' 5"	22' 8"	ELEC
Z-45 XC	51' 6"	24' 9"	DSL
Z-45 HF	51' 6"	24' 9"	DSL
Z-45 DC	51' 8"	22' 9"	ELEC
Z-45 FE	51' 8"	22' 9"	HYB
Z-60 DC	65' 7"	36' 7"	ELEC
Z-60 FE	65' 7"	36' 7"	HYB
Z-62/40	67' 11"	40' 9"	DSL
Z-80/60	84'	60'	DSL

JLG			
600AJ	66'	39' 9"	DSL
800AJ	86'	51' 10"	DSL



TELESCOPIC BOOM LIFTS

Model	Working Height	Lift Capacity (lbs)	Horizontal Reach
JLG			
660SJ	72' 8"	750	56' 9"
860SJ	92'	700	75'
1200SJP	126'	1,000	75'
1350SJP	141'	1,000	80'
GENIE			
S-45 XC	50' 6"	660	36' 2"
S-65 XC	71'	660	54' 2"
S-85 XC	91'	660	74' 6"
S-125 XC	131'	660	80'

OTHER RENTAL EQUIPMENT

COMPRESSORS

185–375 CFM

AIR TOOLS

- Chipping Hammers
- Rivet Busters
- Pavement Breakers
- Rock Drills
- Floor Tampers

PUMPS

- Submersible
- Trash
- Towable

CONCRETE SAWS

- Walk-Behind Floor
- Soff-Cut
- Hand Held
- WB Floor

CONCRETE EQUIPMENT

- Concrete Mixers
- Mortar Mixers
- Concrete Buggies
- Power Trowels

ELECTRIC TOOLS

- Breaker Hammers
- Demolition Hammers
- Electric Post Drivers

WATER WAGONS & TRAILERS

500–550 Gal

LIGHT TOWERS

6kw



TOWABLE BOOM LIFTS

Model	Working Height	Platform Capacity (lbs)	Horizontal Reach
JLG			
T350	40'	500	18' 9"
HAULOTTE			
3632T	43' 6"	500	32'



EQUIPMENT RENTALS MADE EASY

Your Equipment Partner Since 1960

At ASCO Equipment, we take pride in being a family-owned and operated company committed to delivering reliable, high-quality equipment. Our modern rental fleet is carefully maintained to ensure maximum uptime and performance when you need it most.

Flexible Rental Terms:

- Daily, weekly, monthly, or long-term
- Rent-to-own options available
- Delivery and on-site support across Texas, Oklahoma, and New Mexico

TEXAS

- Abilene, TX (325) 698-2726
- Amarillo, TX (806) 372-8386
- Austin, TX (512) 272-8922
- Beaumont, TX (409) 212-8100
- Belton, TX (254) 613-1500
- Brenham, TX (979) 836-6641
- Bryan, TX (979) 779-8942
- Eules, TX (817) 283-2844
- Houston, TX – North (281) 987-1990
- Houston, TX – South (713) 649-0940
- Little Elm, TX (972) 441-2726
- Lubbock, TX (806) 745-2000
- Midland, TX (432) 685-9999
- Odessa, TX (432) 337-2823
- Perryton, TX (806) 435-7773
- San Angelo, TX (325) 655-5666
- San Antonio, TX (210) 333-8000
- Sherman, TX (903) 893-7586
- Terrell, TX (972) 563-2171
- Tyler, TX (903) 593-0201
- Wichita Falls, TX (940) 687-2726

OKLAHOMA

- Elk City, OK (580) 323-3422
- Oklahoma City, OK (405) 789-6812
- Tulsa, OK (918) 437-5085

NEW MEXICO

- Clovis, NM (575) 742-2726



**Built by dependability,
driven by excellence.**

Call your local ASCO store at 888-528-7966 or visit ASCOEQ.com/rentals.